


AIR DRIVEN LIQUID PUMPS



PERFORMANCE CHARTS



PERFORMANCE CHARTS SM3A, SM3S SERIES AIR DRIVEN LIQUID PUMPS

Approximate Rate of Discharge in Cubic Inches/min. and (liters/min) Air Drive 100 PSI (6.9 bar)

1/3 HP (.25 KW) AIR SUPPLY 15 SCFM (.42 S M ³ /min)	Pressure PSI (BAR)	SM3 - 5	SM3 - 10	SM3 - 20	SM3 - 35	SM3 - 60	SM3 - 100	SM3 - 150	SM3 - 225
	0		550 (9.0)	476 (7.8)	305 (5.0)	158 (2.6)	98 (1.6)	58 (.95)	39 (.64)
100 (6.9)		330 (5.4)	350 (5.7)	280 (4.6)	140 (2.3)	90 (1.5)	55 (.90)	38 (.62)	23 (.37)
250 (17)		275 (4.5)	200 (3.3)	210 (3.5)	120 (2.0)	80 (1.3)	53 (.86)	37 (.60)	22 (.36)
350 (24)		180 (2.9)	180 (2.9)	160 (2.6)	100 (1.6)	70 (1.1)	50 (.82)	36 (.59)	21 (.34)
500 (34)			150 (2.4)	110 (1.8)	90 (1.5)	60 (.98)	48 (.78)	35 (.57)	20 (.32)
1000 (69)			10 (.16)	75 (1.23)	60 (1.0)	31 (.50)	40 (.65)	28 (.46)	18 (.29)
1500 (103)				60 (.98)	50 (0.8)	25 (.40)	30 (.49)	25 (.41)	17 (.27)
2000 (138)				15 (.25)	40 (.65)	22 (.36)	21 (.34)	20 (.32)	16 (.26)
3000 (207)					25 (.40)	20 (.32)	16 (.26)	16 (.26)	16 (.26)
4000 (276)						17 (.27)	16 (.26)	12 (.19)	9 (.14)
6000 (414)							14 (.23)	11 (.18)	8 (.13)
8000 (552)							10 (.16)	9 (.14)	7 (.11)
10000 (690)								7 (.11)	6 (.09)
12000 (827)								6 (.09)	5 (.08)
15000 (1034)									4 (.06)
20000 (1379)									3 (.05)
22500 (1551)									



PERFORMANCE CHARTS POWERSTAR 4 – SERIES (SINGLE ENDED) AIR DRIVEN LIQUID PUMPS

Approximate Rate of Discharge in Cubic Inches/min. and (liters/min) Air Drive 100 PSI (6.9 bar)

1/2 HP (.37 KW) Air Supply 50 SCFM (1.4 S M ³ /min)	Pressure PSI (BAR)	P4 - 5	P4 - 10	P4 - 21	P4 - 34	P4 - 64	P4 - 114	P4 - 203	P4 - 333
	0		1016 (14)	700 (11)	425 (7)	240 (4)	170 (2.7)	80 (1.31)	45 (.73)
100 (6.9)		947 (14)	690 (11)	400 (6.5)	220 (3.6)	150 (2.4)	75 (1.23)	44 (.72)	24 (.39)
300 (21)		462 (7.6)	600 (9.8)	350 (5.7)	215 (3.5)	125 (2)	74 (1.21)	43 (.7)	23 (.37)
400 (27)		231 (3.8)	500 (8.2)	300 (4.9)	210 (3.4)	120 (1.9)	73 (1.19)	41 (.67)	22 (.36)
750 (52)			200 (3.3)	250 (4.1)	200 (3.2)	110 (1.8)	72 (1.18)	38 (.62)	21 (.34)
1000 (69)			100 (1.6)	150 (2.4)	175 (2.8)	100 (1.6)	70 (1.14)	36 (.59)	21 (.34)
1500 (103)				100 (1.6)	150 (2.4)	90 (1.4)	65 (1.06)	35 (.57)	20 (.32)
2000 (138)				50 (.82)	100 (1.6)	75 (1.2)	60 (.98)	34 (.55)	20 (.32)
2500 (172)					75 (1.23)	65 (1)	58 (.95)	32 (.52)	19 (.31)
3000 (207)					25 (.4)	60 (.98)	55 (.9)	31 (.5)	18 (.29)
4000 (276)						55 (.90)	50 (.82)	30 (.49)	17 (.28)
5000 (345)						40 (.65)	45 (.73)	28 (.46)	16 (.26)
6400 (441)							40 (.65)	27 (.44)	15 (.24)
10000 (690)							20 (.33)	25 (.41)	13 (.21)
15000 (1034)								15 (.24)	12 (.19)
20000 (1379)								10 (.16)	10 (.16)
30000 (2069)									3 (.05)
33300 (2296)									



PERFORMANCE CHARTS POWERSTAR 4 – SERIES (DOUBLE-ENDED) AIR DRIVEN LIQUID PUMPS

Approximate Rate of Discharge in Cubic Inches/min. and (liters/min) Air Drive 100 PSI (6.9 bar)

1/2 HP (.37 KW) Air Supply 50 SCFM (1.4 S M ³ /min)	Pressure PSI (BAR)	P4 - 5/5	P4-10/10	P4-21/21	P4-34/34	P4-64/64	P4-114/114	P4-203/203	P4-333/333
	0		1727 (24)	1190(19.4)	680 (11.1)	384 (6.3)	260 (4.3)	128 (2.1)	72 (1.2)
100 (6.9)		1610 (24)	1173(19.2)	720(11.8)	396 (6.5)	240 (3.9)	135 (2.2)	74 (1.2)	40 (0.6)
300 (21)		831 (13.6)	1020(16.7)	630(10.3)	378 (6.2)	220 (3.6)	133 (2.2)	73 (1.2)	39 (0.6)
400 (27)		416 (6.8)	900(14.7)	540 (8.8)	378 (6.2)	210 (3.4)	131 (2.1)	73 (1.3)	39 (0.6)
750 (52)			360 (5.9)	450 (7.4)	360 (5.9)	200 (3.3)	130 (2.1)	68 (1.1)	37 (0.6)
1000 (69)			180 (2.9)	270 (4.4)	315 (5.1)	185 (3.0)	126 (2.0)	65 (1.0)	37 (0.6)
1500 (103)				180 (2.9)	270 (4.4)	170 (2.8)	117 (1.9)	63 (1.0)	36 (0.6)
2000 (138)				90 (1.5)	180 (2.9)	160 (2.6)	108 (1.7)	61 (1.0)	36 (0.6)
2500 (172)					135 (2.2)	150 (2.4)	104 (1.7)	58 (.90)	34 (.51)
3000 (207)					37 (.6)	140 (2.3)	99 (1.6)	56 (.90)	32 (.50)
4000 (276)						100 (1.6)	90 (1.5)	54 (.90)	30 (.49)
5000 (345)						70 (1.1)	81 (1.3)	50 (.80)	28 (.40)
6400 (441)						15 (.25)	72 (1.2)	48 (.80)	27 (.40)
10000 (690)							36 (0.6)	45 (.70)	23 (.30)
15000 (1034)								27 (.40)	21 (.30)
20000 (1379)								18 (.30)	18 (.26)
30000 (2069)									6 (.10)
33300 (2296)									





FARRIS ENGINEERING / SPRAGUE
CORPORATE HEADQUARTERS
FARRIS MANUFACTURING
BRECKSVILLE, OHIO

Website: <http://sprague.cwfc.com>

FARRIS ENGINEERING / SPRAGUE
MILLER ROAD FACILITY
SPRAGUE MANUFACTURING
FARRIS / SPRAGUE TRAINING FACILITY



Air Driven Liquid Pumps, Gas Booster Products

Hydrostatic Test Units



NOVA SWISS

Valves, Fittings, Tube,

Hose.... **CEJN**



Sprague Products 10195 BRECKSVILLE ROAD, BRECKSVILLE, OHIO 44141 440.838.7690

Sprague – UK, Napoleon House Gore Cross Business Park Corbin Way, Bridport Dorset, DT6 3UX UK +44 (0) 1308 422256